

# A Note on the Swiss Solvency Test Risk Measure\*

Damir Filipović and Nicolas Vogelpoth<sup>†</sup>

Vienna Institute of Finance<sup>‡</sup>

Nordbergstrasse 15

A-1090 Vienna, Austria

first version: 16 August 2006, this version: 16 October 2007

## Abstract

In this paper we examine whether the Swiss Solvency Test risk measure is a coherent measure of risk as introduced in Artzner et al. [1, 2]. We provide a simple example which shows that it does not satisfy the axiom of monotonicity. We then find, as a monotonic alternative, the greatest coherent risk measure which is majorized by the Swiss Solvency Test risk measure.

**Key words:** multiperiod risk measure, Swiss Solvency Test, target capital

## 1 Introduction

With the enactment of the new Insurance Supervision Act on 1 January 2006 in Switzerland, a new risk-based solvency standard was set for the Swiss insurance industry. At its core lies the Swiss Solvency Test (SST), which is a principles-based framework for the determination of the solvency capital requirement for an insurance company. For more background on the SST we refer to the official web page of the Swiss Federal Office of Private Insurance – Topics – SST [13].

Part of the SST framework is the SST risk measure  $\rho_{SST}$  which assigns a capital requirement (target capital) to the run-off of the in force asset-liability portfolio. In this sense,  $\rho_{SST}$  is a multiperiod risk measure. At the same time, there has been a well-established axiomatic theory of risk measures in the financial and insurance mathematics literature, see e.g. [1, 6, 10, 11], and [2, 4] for the multiperiod case. In this context, it is worth mentioning that "optimal", not necessary coherent, assessment of risk capital is still subject of on-going research, see for instance [5, 7, 9, 12].

In this paper we examine whether  $\rho_{SST}$  is a coherent multiperiod measure of risk in the sense of [1, 2]. We provide a simple example which shows that  $\rho_{SST}$  does not satisfy

---

\*We thank an anonymous referee for helpful remarks.

<sup>†</sup>Financial support from Munich Re Grant for doctoral students is gratefully acknowledged.

<sup>‡</sup>Vienna Institute of Finance is financially supported by WWTF (Vienna Science and Technology Fund)

the monotonicity axiom. In fact,  $\rho_{SST}$  is too conservative. There are situations where the company is allowed to give away a profitable non-risky part of its asset-liability portfolio while reducing its target capital. This is unsatisfactory from the regulatory point of view. We thus find the greatest coherent multiperiod risk measure  $\underline{\rho}_{SST}$  which is majorized by  $\rho_{SST}$ , and propose that  $\rho_{SST}$  be replaced by  $\underline{\rho}_{SST}$ .

Since the actual risk measure used in the SST is a computationally simplifying approximation of  $\rho_{SST}$ , our proposal does not directly challenge the current usage of the SST. However, on the methodological level it does.

The remainder of the paper is as follows. In Section 2 we give a formal definition of the SST risk measure  $\rho_{SST}$  within the appropriate stochastic setup. In Section 3 we provide the axioms of coherence for multiperiod risk measures and check whether  $\rho_{SST}$  satisfies them. A simple example illustrates the failure of the monotonicity axiom. In Section 4, Theorem 4.1, we find the greatest coherent risk measure majorized by  $\rho_{SST}$ , which is then proposed as an alternative. We conclude by Section 5 and give an outlook to possible future enhancements of the SST risk measure. While the proof in Section 4 of Theorem 4.1 is elementary and self-contained, we provide in Section A, as a constructive application of [8], an alternative proof based on a convex duality argument.

## 2 The SST Risk Measure

Throughout,  $T \in \mathbb{N}$  denotes an arbitrary finite time horizon. The stochastic basis is given by a probability space  $(\Omega, \mathcal{F}, \mathbb{P})$  endowed with a filtration  $(\mathcal{F}_t)_{t=0}^T$  such that  $\mathcal{F}_0 = \{\Omega, \emptyset\}$  and  $\mathcal{F}_T = \mathcal{F}$ . One should think of  $\mathcal{F}_t$  as the information available up to time  $t$ .

For  $t = 0, \dots, T$ ,  $L^\infty(\mathcal{F}_t)$  denotes the space of essentially bounded random variables on  $(\Omega, \mathcal{F}_t, \mathbb{P})$ . Further,  $\mathcal{R}^\infty$  denotes the space of essentially bounded stochastic processes on  $(\Omega, \mathcal{F}, \mathbb{P})$  which are adapted to the filtration  $(\mathcal{F}_t)_{t=0}^T$ . Equalities and inequalities between random variables and stochastic processes are understood in the  $\mathbb{P}$ -almost sure sense. For instance, two stochastic processes  $C, D \in \mathcal{R}^\infty$  are meant to be equal if for  $\mathbb{P}$ -almost all  $\omega \in \Omega$ ,  $C_t(\omega) = D_t(\omega)$  for all  $t = 0, \dots, T$ . For any  $C \in \mathcal{R}^\infty$  we write

$$\Delta C_t = C_t - C_{t-1}.$$

The expected shortfall of  $X \in L^\infty(\mathcal{F})$  at level  $\alpha \in (0, 1)$  is given by

$$\text{ES}_\alpha(X) := -\frac{1}{\alpha} \int_0^\alpha q_X(s) ds,$$

where  $q_X(s) = \inf\{x \mid \mathbb{P}(X \leq x) > s\}$  denotes the upper quantile-function of  $X$ . It is well known, see e.g. [10], that the expected shortfall as a risk measure  $\text{ES}_\alpha : L^\infty(\mathcal{F}) \rightarrow \mathbb{R}$  satisfies the respective coherence axioms **(N)**–**(PH)** in Section 3 below for  $T = 1$  (indeed, we consider  $C = (C_0, C_1) \mapsto \rho(C) = \text{ES}_\alpha(C_1)$ ).

A core figure for the current discussion on solvency capital requirements is the target capital ( $TC$ ). The target capital is understood as the minimal monetary amount needed for an insurance company to be sure that the assets at the end of a year are sufficient to

cover the liabilities. Sure in this context means that even in an unlikely situation (say of a 1% probability) there is on average enough capital to allow the assets and liabilities to be transferred to a third party and in addition to this, to provide a capital endowment for that third party to cover its liabilities and future capital costs. Consequently, target capital is given by the sum of the so called 1-year risk capital ( $ES$ ) which is to cover the risk emanating within a one year time horizon and a risk margin ( $M$ ) which is defined as the minimal amount that allows a healthy insurer to take over the portfolio at no additional cost. In mathematical terms,

$$TC := ES + M.$$

In the technical document of the Swiss Solvency Test [14] the Swiss Federal Office of Private Insurance comes forward with a proposal of how to substantiate the 1-year risk capital and the risk margin in terms of the risk bearing capital. The risk bearing capital  $C_t$  at date  $t$  is given by the difference between the prevailing market consistent value of assets and the best estimate of liabilities. In this paper, we shall assume that the process  $C = (C_0, \dots, C_T)$  of risk bearing capital is an element of  $\mathcal{R}^\infty$ . The 1-year risk capital is then defined as

$$ES := \text{ES}_\alpha(\Delta C_1) = C_0 + \text{ES}_\alpha(C_1),$$

where  $\alpha$  is currently set to 1%. The risk margin is defined as the cost of future 1-year risk capital

$$M := \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s),$$

where  $\beta > 0$  denotes the spread above the interest rate at which money can be borrowed and reinvested at no risk. This spread is specified by the supervisor, and it is currently set to 6% (see also [3, I.7.72] in the technical specifications for the Quantitative Impact Study 3 of CEIOPS).

To sum up,

$$\begin{aligned} TC &= ES + M \\ &= C_0 + \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s) \\ &= C_0 + \rho_{SST}(C), \end{aligned}$$

where

$$\rho_{SST}(C) := \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s). \quad (2.1)$$

The functional  $\rho_{SST} : \mathcal{R}^\infty \rightarrow \mathbb{R}$  defined in (2.1) is called Swiss Solvency Test risk measure. We note that the actual risk measure used in the SST is a computationally simplifying approximation to  $\rho_{SST}$ , see [14]. The latter nevertheless represents the methodological basis.

### 3 $\rho_{SST}$ – A Coherent Risk Measure?

According to [2, 4, 15], a coherent multiperiod risk measure is a functional  $\rho : \mathcal{R}^\infty \rightarrow \mathbb{R}$  which satisfies the following properties:

- **(N) Normalization:**  $\rho(0) = 0$
- **(M) Monotonicity:**  $\rho(C) \leq \rho(D)$ , for all  $C, D \in \mathcal{R}^\infty$  such that  $C \geq D$
- **(TI) Translation Invariance:**  $\rho(C + m1_{[0,T]}) = \rho(C) - m$ , for all  $C \in \mathcal{R}^\infty$  and  $m \in \mathbb{R}$
- **(SA) Subadditivity:**  $\rho(C + D) \leq \rho(C) + \rho(D)$ , for all  $C, D \in \mathcal{R}^\infty$
- **(PH) Positive Homogeneity:**  $\rho(\lambda C) = \lambda\rho(C)$ , for all  $C \in \mathcal{R}^\infty$  and  $\lambda \geq 0$ .

We now check whether these axioms are satisfied by  $\rho_{SST}$  which was introduced in (2.1). First, we observe that  $\rho_{SST}$  satisfies **(PH)** since the expected shortfall  $\text{ES}_\alpha$  is positively homogeneous. Next, from the translation invariance of the expected shortfall we derive

$$\begin{aligned} \rho_{SST}(C + m1_{[0,T]}) &= \text{ES}_\alpha(C_1 + m) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s) \\ &= m + \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s) \\ &= m + \rho_{SST}(C) \end{aligned}$$

for all  $C \in \mathcal{R}^\infty$  and  $m \in \mathbb{R}$ , whence **(TI)** holds. Further, from the subadditivity of  $\text{ES}_\alpha$  it follows that

$$\begin{aligned} \rho_{SST}(C + D) &= \text{ES}_\alpha(C_1 + D_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s + \Delta D_s) \\ &\leq \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s) + \text{ES}_\alpha(D_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta D_s) \\ &= \rho_{SST}(C) + \rho_{SST}(D) \end{aligned}$$

for all  $C, D \in \mathcal{R}^\infty$ , and hence  $\rho_{SST}$  satisfies **(SA)**. In general however,  $\rho^{SST}$  lacks **(M)** and therefore it is not a coherent risk measure. Here is a counter-example.

Let  $T = 2$  and consider a stochastic model that consists only of two future states  $\Omega = \{\omega_1, \omega_2\}$  such that  $P(\omega_1) = P(\omega_2) = \frac{1}{2}$ . Suppose  $\alpha < \frac{1}{2}$ . We define the risk bearing capital process

$$C(\omega_1) = (0, 0, 0), \quad C(\omega_2) = (0, 1, 0).$$

Obviously, we have  $C \geq 0$ . For any  $s \in (0, \frac{1}{2})$  we have  $q_{C_1}(s) = 0$  and  $q_{\Delta C_2}(s) = -1$ , and thus

$$\text{ES}_\alpha(C_1) = -\frac{1}{\alpha} \int_0^\alpha q_{C_1}(s) ds = 0 \quad \text{and} \quad \text{ES}_\alpha(\Delta C_2) = -\frac{1}{\alpha} \int_0^\alpha q_{\Delta C_2}(s) ds = 1.$$

Hence  $\rho_{SST}(C) = \beta > 0 = \rho_{SST}(0)$  which contradicts **(M)**. Thus the company should be allowed to replace  $C$  by 0 – i.e. to dispose a profitable non-risky position – while reducing the target capital. This is unsatisfactory from a regulatory point of view.

## 4 A Coherent Modification of $\rho_{SST}$

The preceding example suggests that the target capital for an insurance portfolio  $C$  can be reduced by disposing a profitable non-risky position of the portfolio. This suggests that  $\rho_{SST}$  is too conservative, and may be replaced by the greatest coherent multiperiod risk measure  $\underline{\rho}_{SST}$  among those which are majorized by  $\rho_{SST}$ . Indeed, it is shown in [8] that

$$\underline{\rho}_{SST}(C) = \min_{D \leq C} \rho_{SST}(D).$$

It is thus a remarkable and useful fact that  $\underline{\rho}_{SST}$  can be calculated explicitly:

**Theorem 4.1** *Suppose  $\beta \leq 1$ . Then the greatest coherent multiperiod risk measure among those which are majorized by  $\rho_{SST}$  is*

$$\underline{\rho}_{SST}(C) = (1 - \beta)\text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(C_T), \quad C \in \mathcal{R}^\infty. \quad (4.2)$$

*Proof.* The proof is divided into the following 3 steps:

- First, we show that  $\rho_{SST}$  majorizes  $\underline{\rho}_{SST}$ .
- Second, we observe that  $\underline{\rho}_{SST}$  indeed is a coherent multiperiod risk measure.
- Third, we prove that any coherent risk measure which is majorized by  $\rho_{SST}$  in turn is majorized by  $\underline{\rho}_{SST}$ .

**1st Step** We observe

$$\begin{aligned} \rho_{SST}(C) &= \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s) \\ &= (1 - \beta)\text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(C_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s) \\ &\geq (1 - \beta)\text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha\left(C_1 + \sum_{s=2}^T \Delta C_s\right) \\ &= (1 - \beta)\text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(C_T), \end{aligned} \quad (4.3)$$

for all  $C \in \mathcal{R}^\infty$ , where the inequality in (4.3) follows from the subadditivity of  $\text{ES}_\alpha$ . Thus,  $\rho_{SST}$  majorizes the functional given in (4.2).

**2nd Step** From the respective properties of the expected shortfall  $\text{ES}_\alpha$  we immediately derive that the functional given in (4.2) is a coherent multiperiod risk measure.

**3rd Step** First, we consider the case of  $T = 1$  and assume that  $\rho$  is a coherent risk measure which is majorized by  $\rho_{SST}$ . We have to show that  $\rho$  is also majorized by the coherent risk measure given in (4.2). To this end, we observe for all  $C \in \mathcal{R}^\infty$ ,

$$\begin{aligned} \rho(C) \leq \rho_{SST}(C) &= \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^1 \text{ES}_\alpha(\Delta C_s) \\ &= \text{ES}_\alpha(C_1) \\ &= (1 - \beta)\text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(C_1). \end{aligned} \quad (4.4)$$

The functional in (4.4) is the coherent risk measure given in (4.2) for  $T = 1$  and hence, the assertion is verified.

Now let  $T = 2$  and  $\rho$  be a coherent risk measure majorized by  $\rho_{SST}$ , i.e.

$$\begin{aligned} \rho(C) \leq \rho_{SST}(C) &= \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^2 \text{ES}_\alpha(\Delta C_s) \\ &= \text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(\Delta C_2), \quad \text{for all } C \in \mathcal{R}^\infty. \end{aligned} \quad (4.5)$$

Now we fix some  $C \in \mathcal{R}^\infty$  and derive from the subadditivity of  $\rho$

$$\begin{aligned} \rho(C) &= \rho(C_0 1_{\{0\}} + C_1 1_{\{1\}} + C_2 1_{\{2\}}) \\ &\leq \rho(C_0 1_{\{0\}}) + \rho(C_1 1_{\{1\}}) + \rho(C_2 1_{\{2\}}). \end{aligned} \quad (4.6)$$

Successive application of (4.5) to the three summands in (4.6) yields

$$\begin{aligned} \rho(C_0 1_{\{0\}}) &\leq \text{ES}_\alpha(0) + \beta\text{ES}_\alpha(\Delta 0) = 0, \\ \rho(C_1 1_{\{1\}}) &\leq \text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(-C_1) = (1 - \beta)\text{ES}_\alpha(C_1) \quad \text{and} \\ \rho(C_2 1_{\{2\}}) &\leq \text{ES}_\alpha(0) + \beta\text{ES}_\alpha(C_2) = \beta\text{ES}_\alpha(C_2). \end{aligned}$$

Summing up both sides gives

$$\rho(C_0 1_{\{0\}}) + \rho(C_1 1_{\{1\}}) + \rho(C_2 1_{\{2\}}) \leq (1 - \beta)\text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(C_2),$$

and the assertion is proved in the case of  $T = 2$ .

The proof for  $T \geq 3$  is by induction over  $T$ . Since we have already verified the statement in the cases of  $T = 1$  and  $T = 2$  we may start right off with the assumption that for  $T - 1$ ,  $\rho_{SST}$  is given by (4.2). Consider a coherent risk measure  $\rho$  such that for all  $C \in \mathcal{R}^\infty$

$$\rho(C) \leq \rho_{SST}(C) = \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^T \text{ES}_\alpha(\Delta C_s).$$

We fix some  $C \in \mathcal{R}^\infty$ , and we decompose it as

$$C = C^{T-1} + \Delta C_T \mathbf{1}_{\{T\}},$$

where

$$C^{T-1} := C \mathbf{1}_{[0, T-1]} + C_{T-1} \mathbf{1}_{\{T\}}$$

is the process  $C$  stopped at time  $T - 1$ . Subadditivity of  $\rho$  yields

$$\rho(C) = \rho(C^{T-1} + \Delta C_T \mathbf{1}_{\{T\}}) \leq \rho(C^{T-1}) + \rho(\Delta C_T \mathbf{1}_{\{T\}}). \quad (4.7)$$

As for the first summand in (4.7), we have

$$\begin{aligned} \rho(C^{T-1}) &\leq \rho_{SST}(C^{T-1}) \\ &= \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^{T-1} \text{ES}_\alpha(\Delta C_s) + \beta \text{ES}_\alpha(C_{T-1} - C_{T-1}) \\ &= \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^{T-1} \text{ES}_\alpha(\Delta C_s) + \beta \text{ES}_\alpha(0) \\ &= \text{ES}_\alpha(C_1) + \beta \sum_{s=2}^{T-1} \text{ES}_\alpha(\Delta C_s). \end{aligned}$$

In view of the induction hypothesis for  $T - 1$  we conclude that

$$\rho(C^{T-1}) \leq (1 - \beta) \text{ES}_\alpha(C_1) + \beta \text{ES}_\alpha(C_{T-1}).$$

As for the second summand in (4.7), we have

$$\begin{aligned} \rho(\Delta C_T \mathbf{1}_{\{T\}}) &\leq \rho_{SST}(\Delta C_T \mathbf{1}_{\{T\}}) \\ &= \text{ES}_\alpha(0) + \beta \sum_{s=2}^{T-1} \text{ES}_\alpha(\Delta 0) + \beta \text{ES}_\alpha(\Delta C_T - 0) \\ &= \beta \text{ES}_\alpha(\Delta C_T). \end{aligned}$$

Combining these two estimates with (4.7) yields

$$\begin{aligned} \rho(C) &\leq \rho(C^{T-1}) + \rho(\Delta C_T \mathbf{1}_{\{T\}}) \\ &\leq (1 - \beta) \text{ES}_\alpha(C_1) + \beta \text{ES}_\alpha(C_{T-1}) + \beta \text{ES}_\alpha(\Delta C_T) \\ &\leq (1 - \beta) \text{ES}_\alpha(C_1) + \beta (\text{ES}_\alpha(C_{T-1}) + \text{ES}_\alpha(\Delta C_T)). \end{aligned} \quad (4.8)$$

It remains to prove that (4.8) implies

$$\rho(C) \leq (1 - \beta) \text{ES}_\alpha(C_1) + \beta \text{ES}_\alpha(C_T).$$

To this end, note that the process  $C \in \mathcal{R}^\infty$  was arbitrary. Thus, the inequality in (4.8) is valid for all processes in  $\mathcal{R}^\infty$  and we therefore estimate the summands of the decomposition

$$\begin{aligned}\rho(C) &= \rho(C1_{[0,T-2]} + C_{T-1}1_{\{T-1\}} + C_T1_{\{T\}}) \\ &\leq \rho(C1_{[0,T-2]}) + \rho(C_{T-1}1_{\{T-1\}}) + \rho(C_T1_{\{T\}})\end{aligned}\tag{4.9}$$

by means of (4.8):

$$\begin{aligned}\rho(C1_{[0,T-2]}) &\leq (1 - \beta)\text{ES}_\alpha(C_1) + \beta(\text{ES}_\alpha(0) + \text{ES}_\alpha(\Delta 0)) \\ &= (1 - \beta)\text{ES}_\alpha(C_1), \\ \rho(C_{T-1}1_{\{T-1\}}) &\leq \rho((\text{ess.inf } C_{T-1})1_{\{T-1\}}) \\ &\leq (1 - \beta)\text{ES}_\alpha(0) + \beta(\text{ES}_\alpha(\text{ess.inf } C_{T-1}) + \text{ES}_\alpha(-\text{ess.inf } C_{T-1})) \\ &= 0 \quad \text{and} \\ \rho(C_T1_{\{T\}}) &\leq (1 - \beta)\text{ES}_\alpha(0) + \beta(\text{ES}_\alpha(0) + \text{ES}_\alpha(C_T - 0)) \\ &= \beta\text{ES}_\alpha(C_T).\end{aligned}$$

Plugging these estimates into (4.9) finally yields

$$\begin{aligned}\rho(C) &\leq \rho(C1_{[0,T-2]}) + \rho(C_{T-1}1_{\{T-1\}}) + \rho(C_T1_{\{T\}}) \\ &\leq (1 - \beta)\text{ES}_\alpha(C_1) + \beta\text{ES}_\alpha(C_T)\end{aligned}$$

and the proof is completed for  $T \geq 3$ . □

## 5 Conclusion

In this paper, we briefly outlined the current SST-approach towards the quantification of solvency capital requirements by means of the multiperiod risk measure  $\rho_{SST}$ . We checked whether  $\rho_{SST}$  satisfies the axioms of coherence given by Artzner et al. [1, 2], and showed that  $\rho_{SST}$  lacks monotonicity in general. We then proposed to replace  $\rho_{SST}$  by the greatest coherent risk measure  $\underline{\rho}_{SST}$  which is majorized by  $\rho_{SST}$ . Our main result (Theorem 4.1) is a closed form expression for  $\underline{\rho}_{SST}$ .

A sound risk assessment within a dynamic multiperiod framework requires consistency across time. So far, such dynamic time-consistency aspects (see [2, 4]) have not been taken into account in the SST. In [15], we discuss dynamic time-consistency in the context of the SST, and a satisfactory solution which masters the arising difficulties is subject of on-going research.

## A An Alternative Proof of Theorem 4.1

In this section we provide an alternative proof of Theorem 4.1 based on a convex duality argument, which builds on the findings of [8]. In fact, we obtain an extension of



Theorem 4.1, see Remark A.1 below. This part is not self-contained, though. For the terminology and background in convex analysis the reader is referred to [8].

In the following we need no restrictions on  $\beta \geq 0$ . To simplify the subsequent calculations, we write

$$\rho_{\text{SST}}(C) = \rho(C_1, \Delta C_2, \dots, \Delta C_T)$$

for

$$\rho(X_1, \dots, X_T) := \text{ES}_\alpha(X_1) + \beta \sum_{t=2}^T \text{ES}_\alpha(X_t).$$

We introduce the spaces

$$E := L^\infty(\mathcal{F}_1) \times \dots \times L^\infty(\mathcal{F}_T), \quad E^* := L^1(\mathcal{F}_1) \times \dots \times L^1(\mathcal{F}_T),$$

and we endow  $E$  with the weak topology  $\sigma(E, E^*)$ , which makes  $(E, E^*)$  a dual pair. It is well known, see e.g. [10], that  $\rho : E \rightarrow \mathbb{R}$  is a lower semicontinuous convex function. We write  $\langle \mu, X \rangle = \sum_t \mathbb{E}[\mu_t X_t]$  for the duality pairing of  $\mu \in E^*$  and  $X \in E$ , and follow the notional convention  $\mu_{T+1} := 0$ . Trivially, we then have

$$\begin{aligned} \langle \mu, X \rangle &= \sum_{s=1}^T \mathbb{E} \left[ \sum_{t=s}^T (\mu_t - \mu_{t+1}) X_s \right] \\ &= \sum_{t=1}^T \mathbb{E} \left[ \mathbb{E}[\mu_t - \mu_{t+1} \mid \mathcal{F}_t] \sum_{s=1}^t X_s \right]. \end{aligned}$$

We endow the model space  $E$  with the partial order

$$X \succeq Y \Leftrightarrow X - Y \in \mathcal{P}$$

implied by the convex cone

$$\mathcal{P} = \left\{ X \in E \mid \sum_{s=1}^t X_s \geq 0 \forall t \leq T \right\}.$$

The polar cone of  $\mathcal{P}$  is

$$\begin{aligned} \mathcal{P}^* &:= \{ \mu \in E^* \mid \langle \mu, X \rangle \leq 0 \forall X \in \mathcal{P} \} \\ &= \{ \mu \in E^* \mid \mathbb{E}[\mu_t - \mu_{t+1} \mid \mathcal{F}_t] \leq 0 \forall t \leq T \}. \end{aligned}$$

Obviously,  $C \geq D$ , for  $C, D \in \mathcal{R}^\infty$ , if and only if  $C_0 \geq D_0$  and

$$(C_1, \Delta C_2, \dots, \Delta C_T) \succeq (D_1, \Delta D_2, \dots, \Delta D_T).$$

Hence  $\underline{\rho}_{\text{SST}}(C) = \underline{\rho}(C_1, \Delta C_2, \dots, \Delta C_T)$  where  $\underline{\rho}$  is the greatest lower semicontinuous  $\mathcal{P}$ -monotone coherent risk measure on  $E$  majorized by  $\rho$ . From [8] we know that

$$\underline{\rho} = (\rho^* + \delta(\cdot \mid \mathcal{P}^*))^*$$

where  $\cdot^*$  denotes convex conjugation, and  $\delta(\cdot \mid \mathcal{P}^*)$  the convex indicator function of  $\mathcal{P}^*$ . Since  $\rho$  is positively homogeneous, we have  $\rho^* = \delta(\cdot \mid \text{dom}\rho^*)$ , where  $\text{dom}\rho^*$  denotes the domain of  $\rho^*$ , and hence

$$\underline{\rho}(X) = \sup_{\mu \in \text{dom}\rho^* \cap \mathcal{P}^*} \langle \mu, X \rangle. \quad (\text{A.10})$$

We thus next have to calculate  $\rho^*$ . For  $X_t \in L^\infty(\mathcal{F}_t)$  convex duality yields

$$\text{ES}_\alpha(X_t) = \sup_{\mu \in \mathcal{M}_t} \mathbb{E}[\mu X_t] = \delta^*(X_t \mid \mathcal{M}_t)$$

for

$$\mathcal{M}_t := \{\mu \in L^1(\mathcal{F}_t) \mid \mathbb{E}[\mu] = -1 \text{ and } -1/\alpha \leq \mu \leq 0\}.$$

Since

$$\beta \delta^*(X_t \mid \mathcal{M}_t) = \beta \sup_{\mu \in \mathcal{M}_t} \mathbb{E}[\mu X_t] = \delta^*(\beta X_t \mid \mathcal{M}_t) = \delta^*(X_t \mid \beta \mathcal{M}_t),$$

we conclude that

$$\rho(X) = \sum_{t=1}^T \delta^*(X_t \mid \mathcal{N}_t)$$

where

$$\mathcal{N}_t := \begin{cases} \mathcal{M}_1, & t = 1 \\ \beta \mathcal{M}_t, & t \geq 2. \end{cases}$$

Hence

$$\begin{aligned} \rho^*(\mu) &= \sup_{X \in E} \sum_{t=1}^T (\mathbb{E}[\mu_t X_t] - \delta^*(X_t \mid \mathcal{N}_t)) \\ &= \sum_{t=1}^T \sup_{X_t \in L^\infty(\mathcal{F}_t)} (\mathbb{E}[\mu_t X_t] - \delta^*(X_t \mid \mathcal{N}_t)) = \sum_{t=1}^T \delta(\mu_t \mid \mathcal{N}_t) \end{aligned}$$

and thus

$$\text{dom}\rho^* = \mathcal{N}_1 \times \cdots \times \mathcal{N}_T.$$

Consequently, the following properties are equivalent:

- (i)  $\mu \in \text{dom}\rho^* \cap \mathcal{P}^*$
- (ii)  $\mu \in \mathcal{N}_1 \times \cdots \times \mathcal{N}_T$  and  $\mathbb{E}[\mu_t - \mu_{t+1} \mid \mathcal{F}_t] \leq 0$  for all  $t$
- (iii)  $\mu_1 \in \mathcal{M}_1$ ,  $\mu_1 \leq \mathbb{E}[\mu_2 \mid \mathcal{F}_1]$ ,  $\beta \leq 1$  and  $\mu_t = \beta \mathbb{E}[\nu_2 \mid \mathcal{F}_t]$  for all  $t \geq 2$ , for some  $\nu_2 \in \mathcal{M}_T$
- (iv)  $\beta \leq 1$ ,  $\mu_1 = (1 - \beta)\nu_1 + \beta \mathbb{E}[\nu_2 \mid \mathcal{F}_1]$  and  $\mu_t = \beta \mathbb{E}[\nu_2 \mid \mathcal{F}_t]$  for all  $t \geq 2$ , for some  $\nu_1 \in \mathcal{M}_1, \nu_2 \in \mathcal{M}_T$ .

In particular,  $\beta > 1$  implies  $\text{dom}\rho^* \cap \mathcal{P}^* = \emptyset$ . Combining the above with (A.10) we infer  $\underline{\rho}(X) = \sup \emptyset = -\infty$  if  $\beta > 1$ , and

$$\begin{aligned} \underline{\rho}(X) &= \sup_{\nu_1 \in \mathcal{M}_1, \nu_2 \in \mathcal{M}_T} \left( \mathbb{E}[(1 - \beta)\nu_1 + \beta\nu_2]X_1 + \sum_{t=2}^T \mathbb{E}[\beta\nu_2 X_t] \right) \\ &= (1 - \beta) \sup_{\nu_1 \in \mathcal{M}_1} \mathbb{E}[\nu_1 X_1] + \beta \sup_{\nu_2 \in \mathcal{M}_T} \mathbb{E} \left[ \nu_2 \sum_{t=1}^T X_t \right] \\ &= (1 - \beta)\text{ES}_\alpha(X_1) + \beta\text{ES}_\alpha \left( \sum_{t=1}^T X_t \right) \end{aligned}$$

if  $\beta \leq 1$ . Whence Theorem 4.1 follows.

**Remark A.1** *In the above proof one can literally replace  $E$  and  $E^*$  by  $L^p(\mathcal{F}_1) \times \cdots \times L^p(\mathcal{F}_T)$  and  $L^q(\mathcal{F}_1) \times \cdots \times L^q(\mathcal{F}_T)$ , for  $p \in [1, \infty]$  and  $q = \frac{p}{p-1}$ , respectively, which extends the scope of Theorem 4.1.*

*Moreover, we conclude that  $\beta > 1$  (an unrealistic spread) implies  $\underline{\rho}_{\text{SST}} = -\infty$ , which completes the statement in Theorem 4.1.*

## References

- [1] Artzner, P., Delbaen, F., Eber, J.M. and Heath, D. (1999), "Coherent measures of risk," *Mathematical Finance* 9, 203–228.
- [2] Artzner, P., Delbaen, F., Eber, J.M., Heath, D. and Ku, H. (2004), "Coherent multiperiod risk adjusted values and Bellman's principle," Working Paper, ETH Zurich.
- [3] Committee of European Insurance and Occupational Pensions Supervisors (CEIOPS) (2007), "QIS3 Technical Specifications, Part I: Instructions," URL: [www.ceiops.org/content/view/118/124](http://www.ceiops.org/content/view/118/124).
- [4] Cheridito, P., Delbaen F. and Kupper M. (2006), "Dynamic monetary risk measures for bounded discrete-time processes," forthcoming in *Electronic Journal of Probability*.
- [5] Danielsson, J., Jorgenson, B. N., Samorodnitsky, G., Sarma, M. and De Vries, C. G. (2007), "Sub-additivity re-examined: the case for Value-at-Risk," Working Paper, London School of Economics.
- [6] Denuit, M., Dhaene, J., Goovaerts, M., Kaas, R. and Laeven, R. (2006), "Risk measurement with equivalent utility principles", In: Rüschemdorf, L. (Ed.), Risk Measures: General Aspects and Applications (special issue), *Statistics and Decisions* 24, 1-26.

- [7] Dhaene, J., Laeven, R., Vanduffel, S., Darkiewicz, G. and Goovaerts, M. (2007), "Can a coherent risk measure be too subadditive?", forthcoming in *Journal of Risk and Insurance*.
- [8] Filipović, D. and Kupper, M. (2007), "Monotone and Cash-Invariant Convex Functions and Hulls," *Insurance: Mathematics and Economics* 41, 1-16.
- [9] Föllmer, H. and Schied, A. (2002) "Convex measures of risk and trading constraints", *Finance and Stochastics* 6, 429–447.
- [10] Föllmer, H. & Schied, A. (2004) *Stochastic Finance*, 2nd Edition, Berlin: De Gruyter.
- [11] Kaas, R., Goovaerts M., Dhaene, J. and Denuit, M. (2001), *Modern Actuarial Risk Theory*, Kluwer Academic Publishers.
- [12] Rootzen, H. and Klüppelberg, C. (1999), "A single number can't hedge against economic catastrophes", *Ambio-Royal Swedish Academy of Sciences* 28, 550-555.
- [13] [www.bpv.admin.ch/themen/00506/index.html?lang=en](http://www.bpv.admin.ch/themen/00506/index.html?lang=en)
- [14] Swiss Federal Office of Private Insurance (2004), "SST Whitepaper 2004 En," Technical Document, URL: [www.bpv.admin.ch/themen/00506/00552](http://www.bpv.admin.ch/themen/00506/00552)
- [15] Vogelpoth, N. (2006), "Some Results on Dynamic Risk Measures," Diploma Thesis, University of Munich.