
Computer Algebra

Spring 2011

Assignment Sheet 1

Exercises marked with a \star can be handed in for bonus points. Due date is March 8.

Exercise 1

Sort the following functions according to their asymptotic growth. Indicate which pairs of functions satisfy $f = O(g)$, $f = \Omega(g)$, and $f = \Theta(g)$. Show that your answer is correct.

$$2^{3+\log n}, \sqrt{n}, 4^n, 13, \log n^{1337}, 2^{\log^2 n}, \log n, e^{\log n}, 3n, n^6 - 5n^2, 2^{4\log n}, 2^n, \log^2 n$$

Note: $\log n$ without an indicated base is always base 2.

Exercise 2

Let $f, g : \mathbb{N} \rightarrow \mathbb{R}_+$. Show that $f = O(g)$ if and only if $\limsup_{n \rightarrow \infty} \frac{f(n)}{g(n)} < \infty$.

Exercise 3 (\star)

We say $f \sim g$ (f is asymptotically equal to g) when $f(x)/g(x) \rightarrow 1$ as $x \rightarrow \infty$. Show that $f \sim g$ implies $f = \Theta(g)$. Is the converse also true?

Exercise 4

Let A_1 and A_2 be algorithms for the same problem which run for $T_1(n) = 5n^2$ and $T_2(n) = 1000n \log n$ machine operations on an input of size n , respectively. Let M_1 be a machine that can execute 10^{10} machine operations per second, and M_2 a machine that can execute 10^6 machine operations per second. For which values of n is A_1 on M_1 faster than A_2 on M_2 ?

Exercise 5

Let $x \in \mathbb{R}$ and $n \in \mathbb{N}_{\geq 1}$. Show that $\lfloor \lfloor x \rfloor / n \rfloor = \lfloor x/n \rfloor$; in particular, $\lfloor \lfloor a/b \rfloor / c \rfloor = \lfloor a/bc \rfloor$ for all positive integers a, b, c .

Exercise 6 (\star)

Download the accompanying Python source code `assignment01.py`.

1. Add a function `randbits(n)` that returns a random number of bit length exactly n (that is, it returns a random sequence of n bits with the most significant bit always 1).
2. Implement the Karatsuba algorithm for multiplication.

3. Add a function that tests your implementation of Karatsuba by calling it repeatedly on random numbers of varying lengths n and m , and comparing the result with simple multiplication.
4. Benchmark the running time of your algorithm for varying lengths of inputs compared to the running time of simple multiplication. Determine the bit length at which Karatsuba becomes faster than simple multiplication. Experiment with different values for the cutoff, i.e. the bit length below Karatsuba uses simple multiplication.

Note: Consult the Python documentation on the `random` and `datetime` modules for useful helper functions.