

1st International Workshop on Standards and Technologies in Multimedia Archives and Records (STAR)

Million Book Digital Library Project -From Book to Multimedia

Huang Tiejun, and

Wen Gao, Yonghong Tian, Yizhou Wang, Yuanning Li, etc.

Institute for Digital Media, Peking University, China

26-27th April 2010, EPFL, Lausanne, Switzerland



Content

- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art





Motivation: A Universal Digital Library

- Access to all human knowledge anytime, anywhere
- Including access, query, and print
- Any book, magazine, newspaper, painting, image, music, video, or reference document



Co-Principal Investigators

- Dr. Raj Reddy
 - Herbert A. Simon University Professor of Computer Science and Robotics of Carnegie Mellon University
- Dr. Ching-chih Chen
 - Professor and Former Associate Dean at Graduate School of Library and Information at Simmons College
- Prof. Qin-Ping Zhao
 - Vice President of Ministry of Education of China, Professor of Computer Science of Beijing University of Aeronautics & Astronautics
- Dr. Wen Gao
 - Deputy President and Professor of Computer Science, Graduate School of Chinese Academy of Sciences, as Principal Investigators



To be Millions

1 Million between China and US

1 Million between India and US

And more: Egypt...














Third Meeting Jan.02-10,2003,India





International Conference on Universal Digital Library (ICUDL)

- 2005 China. Zhejiang University Oct.2006
- 2006 Egypt. Bibliotheca Alexandrina. Nov17-19
- 2007 USA Carnegie Mellon University.
 Nov2-4
- 2008 India IIIT-A. Oct31~Nov2
- 2009 USA Pittsburgh. Nov6~8



China Government Support

- The "211" Office of MOE responsible for the program's organization and supervision
- SDPC: State Development and Planning Commission
 - 70 million RMB financial support to the project
 - 10 million RMB from ten Chinese universities involvoed
 - Fund was there in mid of 2003
 - Publicly announced by MoE in Sep.2004
- Research support
 - MOST: Ministry of Science and Technology
 - CAS: Chinese Academy of Science





Chinese collections

- Ancient Book(before 1911) (about 1/5)
 - About 100 thousand
 - Convener: Nanjing U and Peking U.
- Books during Republic of China (1911-1949)
 - About 100 thousand
 - Convener: Fudan U.
- Thesis and dissertations
 - From the Top 14 China Univ.
 - Waiting an official agreement on copyright from MoE
- Books during P R China (1949-)
 - Convener: Zhejiang U.
- More than 850 thousand finished
 - Responsible by South Tech. Center @ Zhejiang University



Mission of Northern Tech. Center

- Technical support for English book digitization
- English book management and archive
 - Exchange with southern center
- As the International resource exchange center for Million Book Project (China Site for Million book project)
- To develop a multilingual, multimedia and multimodal DL platform to provide advanced knowledge service



Digital Book profile

- Image
 - High definition (600dpi)
 - Long term archive, Book Reprint
- Metadata: exact, enough
 - MARC/CNMARC
 - Dublin Core
 - Structural metadata: METS
- · Two versions: for archive, for release




Storage

- Scanning images: 80TB
 - 1 million books * 375 pages/book * 100KB/page * 2 images/page = 80TB_o
- Metadata and text: about 1TB
- Multimedia content: 10TB
 - fine art, audio, video, culture bequest

- Total: 100TB
- Two copies in China


System Architecture of ULIB @ China




E-Book Scanning Management System

∰ Imedia电子图:	书加工平台								_ B ×
工程(P) 查看(V)		C*			-				
造 设置工作路径	◆☆ 更换密码	段 刷新日志	↓ ↓ 上一页	→ 下一页	□ 任务	纫 退出			
	工程编	号 任务	ŠID号	工序名称	任务下载时间	是否完成	上载任务时间		
们 扫描									
扫描									
1									
版面分析									
纵向校对									
综合校对									
Cata Log									
Log 目录制作									
Dub									
Dublin Cor	·e								
Make									
OEB									
OEB打包									
									400
									•
比结								当前时间:2002-12-31 10:9:48	数字

DCEditor: Creating Dublin Core Metadata




OEBMaker: E-Book Package with OEB





E-Book Quality Check Tool






















Digital books entering archive.....



Futian Scanning Center focusing on English Book






Located at ShenZhen Futian Free trade area (Near Hongkang

Futian Scanning Center focusing on English Book





China-US Million Book Digital Library 高等学校中英文图书数字化国际合作计划

英文数字图书质量控制要求

uality Control Handbook for Million Book Project

"高等学校中英文图书数字化国际合作计划"北方技术中心 Northern Technical Center 中国科学院研究生院网络多媒体研究中心 for the China-US Million Book Digital Library Project

2003年11月



Quality Control in Beijing

- Data QC
 - 16 persons
 - 200 titles per days
- Data backup and System maintain
 - 3 engineers
 - 650 titles per day
 - Storage, Web site
 - Data exchange




English Book Scanning

- Shenzhen Futian Scanning Center
 - 95 workers
 - 60 PCs and Servers
 - Scanners: 6 PS7000, 5 AVA3, and platform scanners
 - 160 titles or 50 thousand pages per day

Beijing Fangshan Scanning Center

- 60 workers
- 30 PCs and Servers
- Ten scanners
- 100 titles or 30 thousand pages per day





India Scanning Center





Book on Demand in India Internet Café bar





English Books

- Before 2003
 - US side provided copyright-clear book list (National Academy Press...), China looked for book in libraries
 - Less than 1 thousand book
- US shipped books to China (2004~2006)
 - About 35 thousand
- HKU Library
 - About 35 thousand
- University City in Shenzhen and other Chinese Universities
 - About 85 thousand
- Totally, more the 150 thousand



English books in Digital (Up to Oct., 2006)

Books sources	Titles	Pages	Colour Pages
CMU (Carnegie Mellon Univ.)	24,537	7,645,950	342,402
NAL (National Agriculture L.)	2,083	624,900	28,405
HKU (Hongkong Univ.)	32,190	6,672,272	
UCSZ (Univ. City of Shenzhen)	~85,000		

Amount of Digital Books up to 2007

- China: more than 1 million
 - About 50% is copyright-clear and public available
 - Chinese portal @ http://www.cadal.zju.edu.cn
 - English books portal @ http://www.ulib.org.cn
- India: about 0.3 million
- Egypt: < 0.1 million



ULib Portal

Home | About Us | Progress Report | Personal DL | Donations | New Initiatives | Feedback | Help | Copyright Policy



The Universal Digital Library

Million Book Collection

Title Search

Enter any word in the book title, e.g. Operas

Advanced Search | Browse the Collections

Mirror Sites China North China South India

For viewing UDL books you will need either DiVu plugin and/or Tiff plugin (Windows, Linux, MAC)

We are currently performing system maintenance at our partner site at IIIT, Hyderabad, India. Some of the books hosted at this site may not be accessible online during this maintenance. Please try back in a few hours.

The UDL website is experiencing performance issues due to high traffic. We are also discovering errors in the metadata for the books. Please bear with us while we work to resolve these issues over the coming weeks and months. <u>Click here</u> for more details on our plans.

©Copyright 2001-2008, Universal Digital Library at Carnegie Mellon University & Partners


http://www.ulib.org hosted by CMU



V



ULib China Site



Loading Count Error.

Search History

IQuery 2.0 BETA





Phase II

 Apr04,2010 China government funds 150 million RMB to support to scan another 1.5 million books in next three years

Partners

- 15 Universities: Zhejiang U., Peking U., Tsinghua U....
- Chinese Academy of Sciences
- Shenzhen Scanning center



Ongoing New 1.5 Million.....

China Academic Digital Associative Library



首 页

图片

视频

书法字

高级检索

关于CADAL

Updated Tue, 06.04.2010 10:36 AM



- CADAL项目二期启动大会顺利召开 2010-04-04 **№**
- CADAL项目二期第三次工作会议召开 2010-04-04
- CADAL项目二期参建申报通知 2010-02-24
- CADAL项目二期第二次工作会议在三亚学院 召开 2010-01-16
- 大学数字图书馆国际合作计划(CADAL)项 目管理中心招聘启事 2010-01-05
- CADAL项目第二次数字化加工认证培训在深 圳举行 2010-01-04
- CADAL项目二期第一次工作会议在杭州召并 2009-12-25
- 浙江大学校长杨卫教授参加了CADAL项目管 理中心工作会议开 2009-12-25
- 关于CADAL项目二期数字化加工培训(第二 期) 通知 2009-12-17
- CADAL项目单位代表参加在卡内基梅隆大学 举行的第五届全球数字图书馆国际学术研讨会 2009-11-27



大学数字图书馆国际合作计划 (China Academic Digital Associative Library, CADAL)前身为高等学校中英文图书数字 化国际合作计划(China-America Digital Academic Library, CADAL)。国家计委、教育部、财政部 ……详细介绍

最新上传



中国人民大学校庆三 心理学批判集 • 第二 周年纪念特刊



美国经济危机







- 天津19所高校联手建设"高校数字化图书馆"
- 苹果电子书店将为iPad提供3万册免费电子书
- 县级数字图书馆推广计划灾区援建行动在北川启动
- · 德国筹建数字图书馆叫板Google
- 美法院举行谷歌数字图书馆和解协议听证会
- FSF反对Google的图书和解协议修订版
- NASA发布其第一本电子书
- 亚马逊Kindle将有应用程序和游戏

更多新闻

点击TOP10

- 焦氏叢書: 易通釋
- 中国书法全集--商周金文卷
- 机器人动态触觉传感系统测试平台的设计与开发
- 广州年鉴

· Kather (L)

White Cadal net 瑞安縣志

- 爱的教育



Content

- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art








- Million Book Library:
 - 1% of books throughout recorded history worldwide
 - 100 times of books that every one can read throughout his life
- One million digitized books:
 - NOT to be the ultimate goal of the project
 - BUT a first step towards universal access to human knowledge.



Resources and Technologies





Open the door of knowledge

- Cross-lingual access
 - Million Book Project integrates Chinese, English and other languages books
 - People need to directly conduct multi-linguistics retrieval for required information
- Efficient knowledge organization and services
 - To realize the mapping from one million and even more books in a library to ten thousand books for each reader
- Multimedia understanding
 - The human knowledge is not explicitly saved in the digital library, but is implicitly expressed in different media
 - Retrieval millions illustrations in digital book





Content

- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art





Multilingual Access

- Access information in own language
 - Chinese people using Chinese to access information in any language
 - English people can understand what are in the Chinese library
- Our Work
 - Selective translation
 - Partial translation of ancient Chinese



Selective Translation

- Title translation
 - Disambiguate words and identify shortened form in the title by the whole text
 - EBMT for the whole title
- Important sentence extraction
 - According to titles or keywords
- Sentence compression
 - Basic approach
- Translation of selected sentences

Partial Translation of Ancient Chinese

- Identify named entities in Ancient Chinese
 - Combining statistical and rule-based means
- Translation of named entities
 - Statistical machine translation
 - Transliteration
- Translation of Ancient Poems
 - Statistical MT trained on 300 Tang Chinese-English Poems by Prof Yuancong Xu
 - Generations of phrases rather than whole sentences
 - Translation selection by rhyming words



Content

- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art



Traditional Solution(1): Metadata based Search

- Advantages
 - Simple implementation
 - High retrieval precision
- Disadvantages
 - The granularity of retrieval results is too big: a whole book as a retrieval unit.

- It is too tiresome for a user to skim through the whole book to locate the required items.



AVERAGE SOOD PAGES PER DOC

AVERAGE SOOD PAGES PER DOC

AVERAGE SOOD PAGES PER DOC

TO RAINE OF THE MAJE SOOD PAGES PER DOC


TO RAINE SO THE MAJE SOOD PAGES PER DOC

CONFERT SOOD PAGES SOOD PAGES SOOD PAGES PER DOC

CONFERT SOOD PAGES SOOD PA


Traditional Solution(2): Full-text based Search

- Advantages
 - Directly locate the required items in books
 - High retrieval recall
- Disadvantages
 - The granularity of retrieval results is too small: all matched words in e-books as retrieval units.
 - Due to the overwhelming abundance of retrieval results, some kind of grouping



More chapters into from this book!

The Multi-granularity Model for E-Books




Context-based Semantic Modeling and Analysis

- What is "Context"
 - Definition: a collection of (external or internal) related objects or auxiliary information that make the semantics of that object unique and comprehensible.
 - Usage: to improve learning by exploiting context explicitly or implicitly.
- Models and Algorithms
 - General model: Contextual dependency network models for relational data
 - 2. For key phrases: Key phrase extraction using semantic network structural analysis on small-world networks
 - 3. For e-books: Multi-granularity context modeling
 - 4. For illustrations: Cross-modal semantic analysis

Contextual dependency network models

Key Ideas [TKDE'06][JIIS'06]

- 1. To extend dependency networks for modeling relational data.
- 2. To propose linkage semantic kernel to calculate contextual dependency in the link structure.
- 3. To use the Gibbs inference framework for collective classification.




[TKDE'06] YH Tian, Q Yang, Tahuang, CX. Ling and W Gao, Learning contextual dependency network models for link-based classification. IEEE Transactions on Knowledge and Data Engineering, 18(11), Nov 2006, 1482-1496.

[JIIS'06]YH Tian, TJ Huang, W Gao. Latent Linkage 50 nanlic Kernels for Collective Classification of Link Data

Journal of Intelligent Information Systems, 26(3), May 2006, 269-30




System DEMO






System Architecture





System Interface



Query expansion

■By exploiting the TermNet (e.g., "water supply", "water resource in USA" and so on for the query keyword "water").


Facet grouping

- ■Clustered into facets (e.g., people, time or place) according to different values of topic-related fields and subfields
- Multi-granularity ranking
- ■To exploit multi-granularity information to improve the ranking of retrieval results

Information visualization

■To provide powerful capabilities for query refinement, navigation of related topical space, result analysis.







Multi-granularity Ranking

- Problem Formulation
 - To exploit multi-granularity information to improve the ranking of retrieval results
 - Example: For a query "neural network", a book with several relevant chapters > a book with only one relevant chapter, even with the same occurrence scores for hitel bank relevance

Key idea

Book	Relevance
A	0.8
В	0.6
С	0.55

Initial relevance scores for e-books

Chapter	Relevance
A.2	0.5
B.2	0.3
B.3	0.4
C.1	0.6
C.4	0.9

Initial relevance scores for chapters (Assume that each e-book has ten chapters)

(a) Initial ranking by using intra-granularity information

Updated book relevance

	<u>, </u>
Rank	Book
1	A
2	С
3	В

(b) Re-ranking of e-books by taking into account the affects of chapter relevance scores on e-book ranking

Rank	Chapter
1	C.4
2	A.2
3	C.1
4	B.3
5	B.2

(c) Re-ranking of chapters by taking into account the affects of book relevance scores on chapter ranking

$r^{(1)}(h \mid a)$	$= \theta i^{(0)}(b_i \mid q) +$	$(1-\theta) \nabla \sigma$	$\mathbf{r}^{(0)}(c + a)$
$(\nu_i \mid q)$ -	$-U_i (U_i \mid q))$	$(1-\nu) \coprod u$	$(c_s \mid q)$
		$c_s \in b_i$	
		5 .	

Control factor of inter-granularity affect


Weights to measure the topical relevance of a chapter on the whole book



Experimental Results

Baselines

MDSearch: Metadata based search



Note: Waterfoa Werade sound for all three systems returned chapters and books respectively; N is short for NoR@10.





Content

- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art





System Architecture






Illustration Features

Textual features – Words Surrounding

HTML Tags	ATL field of IMG	TITLE	H1	H2	H3	H4	H5	H6	В	I	<no tag=""></no>
Weights	6.00	5.00	4.00	3.60	3.35	2.40	2.30	2.20	3.00	2.70	1.00

Visual features

- "Image" Illustration:

Moment Invariants

– "Graphical" Illustration:

Get primary shapes (e.g., Line and Arc) sequence, Transform to a sub-sequence that keeps most information





Retrieval Example


Input: bottle


Results from about 220,000 illustrations














Diversifying the Retrieval Results via Topi Coverage Graph

- Topic Coverage Graph (TCG)
 - To represent the degree of mutual topic coverage among illustrations
 - Topic coverage is defined by

$$m_{jk} = sim(i_j, i_k) = \begin{cases} \hline (W_k) & W_j \\ \hline (W_k) & k \neq j \\ 0 & k = j \end{cases}$$
 Descriptive keywords for illustration \mathbf{i}_j

TRS-based Re-ranking


- Topic Richness Score (TRS)
 - To measure the importance of each illustration for topic coverage of retrieval results.
 - Random walk based calculation approach

Normalized TCG matrix $\lambda = c\widetilde{M}^T\lambda + \frac{1}{2}$

TRS vector

Dumping factor

Unit vector




Example of Retrieval Topic Coverage Diversifying





For query "Forest"



Most results are about the forest panorama.

After TRS-based Re-ranking

For query "Forest"

A


B

C

D

E

A: Forest panorama, B: Close-up of wood, C: Distribution of seldom woods,









Experiments

- Data collection
 - About 0.5 Million illustrations extracted from English e-books
- Query
 - 20 query words, respectively fed in Illustrator and TBR (Text-based Retrieval system)
- Evaluation Measures


Precision of Top-10 results







System Demo





Content


- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art





Wikipedia as a knowledge base

- Lessons from these practices
 - It's helpful to build a KB for empowering the DL services.
 - Existing KBs are constructed NOT from users' contributions.
 - TermNet is not enough for query expansion in book retrieval
- Three usages of Wikipedia in DLs [Frumkin, 2005]
 - As a tool to empower interactive finding aids AskWiki
 - As a content management tool <u>– iUlib 1.0</u>
 - As a knowledge base tool Wikitology, iUlib 2.0







How to construct KB from Wikipedia?

- PF-IBF
 - PF-IBF: Path Frequency inverse Backward link Frequency, proposed in [Nakayama,2007];
 - If there are many paths between two concepts, then they are possible to have strong correlation.
 - → pf is calculated

$$pf(v_i, v_j) = \sum_{i=1}^{n} \frac{c_n}{f(n)}$$
 c_n: the count of paths with length of n; f(n): a monotonically increasing function enabling that a longer path length would lead to a smaller weight

ibf: A factor to balance the different link numbers

$$ibf(t) = \log(\frac{N}{bf(t) + \beta})$$
 ibf(t): the number of backward links of concept t; N: the total number β : constant to prevent zero dividing

– Relatedness between two concepts:

$$pfibf(v_i, v_j) = pf(v_i, v_j) \cdot ibf(v_j)$$

Examples of KBs

				1898
Query term	TF-IDF	Co-occurrence	PF-IBF	TermNet
Data Mining	Relational data mining, Data stream mining, Java Data Mining, Web data mining, Oracle Data Mining, Weather Data Mining	Data, Knowledge discovery, Data warehouse, Enterprise resource planning, Java Data-Mining	Human rights, Reliable sources, Open Directory Project, Information, Database, Education, Data warehouse	MINERA, Database management, Database searching, Temporal databases, Computer algorithms
Thesaurus	Crisp Thesaurus, RCA Thesaurus, Open Thesaurus, Thesaurus.com	Historical Thesaurus of English, Roget's Thesaurus, Terminology, Synonyms	Wiktionary, Dictionary, Oxford English Dictionary, Controlled vocabulary	N/A
Land Use	Nonconforming use (land use), Special use permit (land use), Variance (land use), Land use planning, Land use forecasting, Locally unwanted land use, Land Use and Development Act	Variance (land use), Zoning, Deforestation, Wilderness, Salinization, Land use planning, Natural resources	diversity, Zoning, ral environment, estation, pogenic, Soil erosion	City planning, Town planning, Environmental policy, Regional planning, Transportation, Urban renewal, Agriculture
City Planning	Planned city, Garden city (city planning), List of planned cities, Master of City Planning, City planning effort		nts, Zoning, strial park, Cemetery, ink co-occurrence ar	
Peking Univ.	University of Peking, Peking Medical University, High School of Peking University, Peking University alumni, Peking University faculty	Fudan University Zhejiang University Hong Kong University of Science and	ve an obvious advan by can discover laten relations. F-IBF is unstable son	t
Iraq War	Iraq War/Iraq Insurgency, Iraq War/Iraq Timeline, 2003_war_in_Iraq, 2003_Iraq_war, The Iraq War, 1991_Iraq_war	Iraq, Sectarian, Saddam Hussein, resistance movem		War on rld rld remialism



Experiments at ImageCLEF 2008


- ImageCLEF: the cross-language image retrieval track
- WikipediaMM Task:
 - 151,519 web images, 75 topics
 - To investigate effective retrieval approaches in the context of a large-scale and heterogeneous collection of Wikipedia images.
- Our solution
 - Query extension with KB constructed from Wikipedia
 - Cross-media re-ranking by combining text-based and contentbased image retrieval
 - 1st rank in all submitted runs



Experiments at ImageCLEF 2008

Query expansion with KB constructed from





westminst

🔐 palac

🥰 tower 🏖 airbu

🥃 ben

Keyphrases

Near Pages Selection: Index all titles of Wikipedia articles, and then retrieve the Wikipedia pages with TF-IDF model.

Page Keyphrase Extraction: Extract keyphrases with SWN(Small World Network) from selected pages.

$$K = \{(t_k, P(t_k))\}$$

Term Selection for Query Extension: Combine the importance and link frequency of keyphrases. (PF-IBF)

$$w_{t_k \in K} = P(t_k) \cdot ibf(t_k)$$
$$ibf = \log(\frac{N}{bf(t) + \beta})$$



Experiments at ImageCLEF 2008

 Query expansion with KB constructed from Wikipedia is effective!

	Participant	Run	Туре	Modality	Feedback/Expansion	МАР	P@5	P@10	R- prec.	Bpref	Number of retrieved documents	Number of relevant retrieved documents
1	upeking	zzhou3	AUTO	ТХТ	QE	0.3444	0.5733	0.4760	0.3794	0.3610	18839	3406
2	cea	cearxtcon	AUTU	TXTCON	QE	0.2735	0.5467	0.4653	0.3225	0.2981	12577	2180
3	ualicante	IRnNoCamel	AUTO	TXT	NOFB	0.2700	0.4533	0.3893	0.3075	0.2728	47972	3497
4	cea	ceaTxt	AUTO	TXT	QE	0.2632	0.5200	0.4427	0.3080	0.2837	12577	2184
5	ualicante	IRnNoCamelLca	AUTO	TXT	FB	0.2614	0.4000	0.3587	0.2950	0.2577	74167	3624
6	ualicante	IRnNoCamelGeog	AUTO	TXT	QE	0.2605	0.4267	0.3640	0.3000	0.2646	48948	3423
7	ualicante	IRnConcSinCamLca	AUTO	TXTCON	FB	0.2593	0.3973	0.3493	0.3016	0.2617	73287	3538
8	ualicante	IRnConcSinCam	AUTO	TXTCON	NOFB	0.2587	0.4240	0.3627	0.2975	0.2631	55663	3505
9	ualicante	IRnNoCamelLcaGeog	AUTO	TXT	FBQE	0.2583	0.4000	0.3613	0.2922	0.2548	74167	3591
10	sztaki	bp_acad_textonly	AUTO	TXT	NOFB	0.2551	0.4400	0.3653	0.3020	0.2711	48847	3338

See http://imageclef.org/2008/wikimm-results

PKU at ImageCLEF 2008: Experiments with Query Extension Techniques

for Text-based and Content-based Image

Retrieval

Zhi Zhou^{1,2}, Yonghong Tian², Yuanning Li^{1,2}, Ting Liu^{1,2}, Tiejun Huang², Wen Gao²

¹The Institute of Digital Media, School of EE & CS, Peking University, Beijing 100871, China

²The Institute of Computing Technology, Chinese Academy of Science, Beijing 1008/1, China {zzhou, ynli, tliu}@jdl.ac.cn, {yhtian,tjhuang,wgao}@pku.edu.cn





Image Search – "E"

http://www.ulib.org.cn/msearch-wiki/crossmedia.jsp



WikipediaMM@ImageCLEF ©北京大学数字媒体研究所

文本 图像内容 跨媒体 关键字(people,object,scene,sport,event) MSearch

从"E"相关图片中选择样例

「前十幅」「后十幅」「关闭」

对搜索有什么意见和建议: 请点击这里告诉我们







Image Search – "Eu"



Search WikipediaMM@ImageCLEF ©北京大学数字媒体研究所

文本 图像内容 跨媒体 关键字(people,object,scene,sport,event)

MSearch

从"Eu"相关图片中选择样例

前十幅1 (后十幅1 (关闭1

对搜索有什么意见和建议: 请点击这里告诉我们








Image Search – "Euro"



Search WikipediaMM@ImageCLEF ©北京大学数字媒体研究所

文本 图像内容 跨媒体 关键字(people,object,scene,sport,event) Euro MSearch

从"Euro"相关图片中选择样例



对搜索有什么意见和建议: 请点击这里告诉我们







Image Search – "Europe"

WikipediaMM@ImageCLEF ©北京大学数字媒体研究所

文本

图像内容

跨媒体

关键字(people,object,scene,sport,event)

Europe

MSearch

从"Europe"相关图片中选择样例

前十幅] 后十幅] [关闭]

对搜索有什么意见和建议: 请点击这里告诉我们







Image Search - "Europe" next 10



WikipediaMM@ImageCLEF ©北京大学数字媒体研究所

文本 图像内容 跨媒体 关键字(people,object,scene,sport,event) Europe

MSearch

从"Europe"相关图片中选择样例



对搜索有什么意见和建议: 请点击这里告诉我们








Content

- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art






Motivation(1)



- Concepts(lexicons) annotation from visual content




©北京大学黄铁军201



Motivation(2)

 Annotate over individual shots Labeled training samples:






2010-4-27


Motivation(3): Spatial and Temporal Context

Sequence multi-labeling




Temporal correlation of concepts

• The 1st,2nd, and 3rd order temporal correlations



Three paradigms for video annotation





- Multi-labeling over individual shots (IML)
- Temporal refinement over IML (IML-T)
- Our proposed: Sequence Multi-labeling (SML)



SVM^{SML}:A discriminative method for SML

Joint kernel to model the similarity of shot sequences

$$K^{\text{joint}} (\mathbf{x}, \mathbf{y}), (\overline{\mathbf{x}}, \overline{\mathbf{y}}) = \langle \mathbf{\Phi}(\mathbf{x}, \mathbf{y}), \mathbf{\Phi}(\overline{\mathbf{x}}, \overline{\mathbf{y}}) \rangle$$

$$= \sum_{t, \overline{t}} \sum_{w} \sum_{l=1}^{L} \beta_{l}^{w} K_{l} (\mathbf{x}^{t-w}, \overline{\mathbf{x}}^{\overline{t}-w}) \sum_{1 \leq p \leq M} \mathbf{y}_{p}^{t} = \overline{\mathbf{y}_{p}^{\overline{t}}} = 1$$
Similarity in low-level feature
$$+ \sum_{t, \overline{t}} \sum_{w} \beta_{L+1}^{w} \sum_{1 \leq p \leq M} \sum_{1 \leq q \leq M} \mathbf{y}_{p}^{t} = \overline{\mathbf{y}_{p}^{\overline{t}}} = 1 \wedge y_{q}^{t-w} = \overline{y}_{q}^{\overline{t}-w} = 1$$
Spatial and temporal correlation


Kernel based structure SVM

$$F(\overline{\mathbf{x}}, \overline{\mathbf{y}}) = \langle \mathbf{w}, \mathbf{\Phi}(\overline{\mathbf{x}}, \overline{\mathbf{y}}) \rangle$$

$$= \sum_{i, \mathbf{y} \in \kappa / \mathbf{y}_i} \alpha_i(\mathbf{y}) K^{\text{joint}} (\mathbf{x}_i, \mathbf{y}_i), (\overline{\mathbf{x}}, \overline{\mathbf{y}}) - K^{\text{joint}} (\mathbf{x}_i, \mathbf{y}), (\overline{\mathbf{x}}, \overline{\mathbf{y}})$$



Framework of SML






Evaluation(1)

- Datasets
 - TRECVID'05 (170 hours news video)
 - TRECVID'07 (50 hours documentary video)
- State-of-the art features and basic kernels
 - Features
 - Dense-color-SIFT (DCSIFT) and dense-SIFT (DSIFT)
 - Self-similarity and pyramid histogram of orientated gradients (PHOG)
 - Gabor and co-occurrence texture
 - Kernels
 - Spatial Pyramid Kernel
 - Proximity Distribution Kernel
- Baseline Methods
 - Independent SVM
 - Correlative Multi-labeling (MSRA)
 - Temporal Correlative Multi-labeling (MSRA)



Evaluation(2)


MAP 50.56% over TRECVID'05 dataset





Evaluation(3)

MAP 38.66% over TRECVID'07 dataset





Content


- Million Book Project
- Book Retrieval
 - Multilingual Access
 - Knowledge Organization and Retrieval
 - Illustration Retrieval
- Multimedia
 - Text-Image Retrieval
 - Video Annotating
 - Navigating Chinese Scrolls Fine Art

Annotating Chinese Scrolls for Exhibition

- Collaboration partners of the project
 - IDM, Peking University
 - The Palace Museum of China
 - Microsoft Research Asia
- Motivations
 - Appreciation of arts
 - Exhibition of the artworks' details
 - Revelation of the people's life styles in the scrolls
 - Immersive user experience

Annotating Chinese Scrolls for Exhibition

- Enhancing a painting with audio annotations:
 - enhance a giga pixel image of the painting with rich audio annotations (the voices of the objects in the painting);
- Providing visual-audio consistency perception:
 - put the annotations in the 3D hidden space depicted by the painting;
 - render stereo audio fields by the viewer's distances and orientations to the annotated objects in the 3D space.



Annotating Chinese Scrolls for Exhibition

Demo





Thanks!

Huang Tiejun tjhuang@pku.edu.cn http://www.ulib.org.cn http://idm.pku.edu.cn